


Chart: Chart-1



Limit violations

Index	Date	Value	Limit violation	Control limit, Severity
1	25.03.2020 07:26:45	50560.779	Parameter_A	Control Limit-1, Warning
2	25.03.2020 07:26:45	46429.228	Parameter_A	Control Limit-1, Warning
3	25.03.2020 07:26:45	48868.359	Parameter_A	Control Limit-1, Warning
4	25.03.2020 07:26:45	49671.078	Parameter_A	Control Limit-1, Warning
5	25.03.2020 07:26:45	45240.143	Parameter_A	Control Limit-1, Warning
6	25.03.2020 07:26:45	45727.277	Parameter_A	Control Limit-1, Warning
7	25.03.2020 07:26:45	48826.062	Parameter_A	Control Limit-1, Warning
8	25.03.2020 07:26:45	45432.504	Parameter_A	Control Limit-1, Warning
9	25.03.2020 07:26:45	45756.364	Parameter_A	Control Limit-1, Warning
10	25.03.2020 07:26:45	48239.080	Parameter_A	Control Limit-1, Warning
11	25.03.2020 07:26:45	45044.640	Parameter_A	Control Limit-1, Warning
12	25.03.2020 07:26:45	48775.166	Parameter_A	Control Limit-1, Warning
13	25.03.2020 07:26:45	43390.286	Parameter_A	Control Limit-1, Warning
14	25.03.2020 07:26:45	45342.963	Parameter_A	Control Limit-1, Warning
15	25.03.2020 07:26:45	47398.505	Parameter_A	Control Limit-1, Warning
16	25.03.2020 07:26:45	45676.520	Parameter_A	Control Limit-1, Warning
17	25.03.2020 07:26:45	47084.565	Parameter_A	Control Limit-1, Warning
18	25.03.2020 07:26:45	48743.199	Parameter_A	Control Limit-1, Warning
19	25.03.2020 07:26:45	45454.742	Parameter_A	Control Limit-1, Warning
20	25.03.2020 07:26:45	45756.364	Parameter_A	Control Limit-1, Warning
21	25.03.2020 07:26:45	47695.770	Parameter_A	Control Limit-1, Warning
22	25.03.2020 07:26:45	48913.692	Parameter_A	Control Limit-1, Warning
23	25.03.2020 07:26:45	48744.485	Parameter_A	Control Limit-1, Warning
24	25.03.2020 07:26:45	46004.986	Parameter_A	Control Limit-1, Warning
1	25.03.2020 07:26:45	0.06725	Parameter_B	Control Limit-1, Warning
2	25.03.2020 07:26:45	0.14925	Parameter_B	Control Limit-1, Warning
3	25.03.2020 07:26:45	0.08783	Parameter_B	Control Limit-1, Warning
4	25.03.2020 07:26:45	0.11928	Parameter_B	Control Limit-1, Warning
5	25.03.2020 07:26:45	0.14686	Parameter_B	Control Limit-1, Warning
6	25.03.2020 07:26:45	0.11201	Parameter_B	Control Limit-1, Warning
7	25.03.2020 07:26:45	0.09638	Parameter_B	Control Limit-1, Warning
8	25.03.2020 07:26:45	0.10121	Parameter_B	Control Limit-1, Warning
9	25.03.2020 07:26:45	0.09554	Parameter_B	Control Limit-1, Warning
10	25.03.2020 07:26:45	0.05062	Parameter_B	Control Limit-1, Warning
11	25.03.2020 07:26:45	0.06348	Parameter_B	Control Limit-1, Warning

Index	Date	Value	Limit violation	Control limit, Severity
12	25.03.2020 07:26:45	0.08000	Parameter_B	Control Limit-1, Warning
13	25.03.2020 07:26:45	0.11660	Parameter_B	Control Limit-1, Warning
14	25.03.2020 07:26:45	0.07109	Parameter_B	Control Limit-1, Warning
15	25.03.2020 07:26:45	0.07144	Parameter_B	Control Limit-1, Warning
16	25.03.2020 07:26:45	0.11432	Parameter_B	Control Limit-1, Warning
17	25.03.2020 07:26:45	0.17390	Parameter_B	Control Limit-1, Warning
18	25.03.2020 07:26:45	0.06214	Parameter_B	Control Limit-1, Warning
19	25.03.2020 07:26:45	0.08335	Parameter_B	Control Limit-1, Warning
20	25.03.2020 07:26:45	0.09554	Parameter_B	Control Limit-1, Warning
21	25.03.2020 07:26:45	0.08955	Parameter_B	Control Limit-1, Warning
22	25.03.2020 07:26:45	0.09717	Parameter_B	Control Limit-1, Warning
23	25.03.2020 07:26:45	0.04911	Parameter_B	Control Limit-1, Warning
24	25.03.2020 07:26:45	0.14903	Parameter_B	Control Limit-1, Warning
1	25.03.2020 07:26:45	4388.2405	Parameter_D	Control Limit-1, Warning
2	25.03.2020 07:26:45	3285.7430	Parameter_D	Control Limit-1, Warning
3	25.03.2020 07:26:45	4521.8083	Parameter_D	Control Limit-1, Warning
4	25.03.2020 07:26:45	3279.7920	Parameter_D	Control Limit-1, Warning
5	25.03.2020 07:26:45	2896.4053	Parameter_D	Control Limit-1, Warning
6	25.03.2020 07:26:45	3901.4881	Parameter_D	Control Limit-1, Warning
7	25.03.2020 07:26:45	3694.7441	Parameter_D	Control Limit-1, Warning
8	25.03.2020 07:26:45	3659.6141	Parameter_D	Control Limit-1, Warning
9	25.03.2020 07:26:45	2984.0608	Parameter_D	Control Limit-1, Warning
10	25.03.2020 07:26:45	3379.4209	Parameter_D	Control Limit-1, Warning
11	25.03.2020 07:26:45	3339.2501	Parameter_D	Control Limit-1, Warning
12	25.03.2020 07:26:45	3673.1214	Parameter_D	Control Limit-1, Warning
13	25.03.2020 07:26:45	3165.2540	Parameter_D	Control Limit-1, Warning
14	25.03.2020 07:26:45	2897.9937	Parameter_D	Control Limit-1, Warning
15	25.03.2020 07:26:45	2794.3128	Parameter_D	Control Limit-1, Warning
16	25.03.2020 07:26:45	3556.8233	Parameter_D	Control Limit-1, Warning
17	25.03.2020 07:26:45	3522.0470	Parameter_D	Control Limit-1, Warning
18	25.03.2020 07:26:45	4501.8964	Parameter_D	Control Limit-1, Warning
19	25.03.2020 07:26:45	2997.8831	Parameter_D	Control Limit-1, Warning
20	25.03.2020 07:26:45	2984.0608	Parameter_D	Control Limit-1, Warning
21	25.03.2020 07:26:45	2907.6123	Parameter_D	Control Limit-1, Warning
22	25.03.2020 07:26:45	2618.1994	Parameter_D	Control Limit-1, Warning
23	25.03.2020 07:26:45	4254.0086	Parameter_D	Control Limit-1, Warning
24	25.03.2020 07:26:45	3365.8153	Parameter_D	Control Limit-1, Warning
1	25.03.2020 07:26:45	-1.03662	Parameter_C	Control Limit-1, Warning
2	25.03.2020 07:26:45	-1.15273	Parameter_C	Control Limit-1, Warning
3	25.03.2020 07:26:45	-0.98587	Parameter_C	Control Limit-1, Warning
4	25.03.2020 07:26:45	-1.22927	Parameter_C	Control Limit-1, Warning
5	25.03.2020 07:26:45	-1.14576	Parameter_C	Control Limit-1, Warning
6	25.03.2020 07:26:45	-1.13584	Parameter_C	Control Limit-1, Warning
7	25.03.2020 07:26:45	-1.12591	Parameter_C	Control Limit-1, Warning
8	25.03.2020 07:26:45	-1.18123	Parameter_C	Control Limit-1, Warning
9	25.03.2020 07:26:45	-1.01388	Parameter_C	Control Limit-1, Warning
10	25.03.2020 07:26:45	-1.25237	Parameter_C	Control Limit-1, Warning
11	25.03.2020 07:26:45	-1.06383	Parameter_C	Control Limit-1, Warning
12	25.03.2020 07:26:45	-1.13152	Parameter_C	Control Limit-1, Warning
13	25.03.2020 07:26:45	-1.06713	Parameter_C	Control Limit-1, Warning
14	25.03.2020 07:26:45	-1.04695	Parameter_C	Control Limit-1, Warning
15	25.03.2020 07:26:45	-1.17683	Parameter_C	Control Limit-1, Warning
16	25.03.2020 07:26:45	-0.97677	Parameter_C	Control Limit-1, Warning
17	25.03.2020 07:26:45	-1.15096	Parameter_C	Control Limit-1, Warning
18	25.03.2020 07:26:45	-1.03969	Parameter_C	Control Limit-1, Warning
19	25.03.2020 07:26:45	-1.02093	Parameter_C	Control Limit-1, Warning
20	25.03.2020 07:26:45	-1.01388	Parameter_C	Control Limit-1, Warning
21	25.03.2020 07:26:45	-1.18682	Parameter_C	Control Limit-1, Warning
22	25.03.2020 07:26:45	-1.33785	Parameter_C	Control Limit-1, Warning
23	25.03.2020 07:26:45	-0.96158	Parameter_C	Control Limit-1, Warning
24	25.03.2020 07:26:45	-1.20308	Parameter_C	Control Limit-1, Warning

Data table

Index	Document key: Document title, Section	Date	Parameter_A
1	Document-1638: Assay 3, STD	25.03.2020 06:26:45	50560.779
2	Document-1649: Assay 14, STD	25.03.2020 06:26:45	46429.228
3	Document-1639: Assay 4, STD	25.03.2020 06:26:45	48868.359
4	Document-1658: Assay 23, STD	25.03.2020 06:26:45	49671.078
5	Document-1647: Assay 12, STD	25.03.2020 06:26:45	45240.143
6	Document-1636: Assay 1, STD	25.03.2020 06:26:45	45727.277
7	Document-1659: Assay 24, STD	25.03.2020 06:26:45	48826.062
8	Document-1637: Assay 2, STD	25.03.2020 06:26:45	45432.504
9	Document-1648: Assay 13, STD	25.03.2020 06:26:45	45756.364
10	Document-1656: Assay 21, STD	25.03.2020 06:26:45	48239.080
11	Document-1645: Assay 10, STD	25.03.2020 06:26:45	45044.640
12	Document-1657: Assay 22, STD	25.03.2020 06:26:45	48775.166
13	Document-1646: Assay 11, STD	25.03.2020 06:26:45	43390.286
14	Document-1643: Assay 8, STD	25.03.2020 06:26:45	45342.963
15	Document-1654: Assay 19, STD	25.03.2020 06:26:45	47398.505
16	Document-1644: Assay 9, STD	25.03.2020 06:26:45	45676.520
17	Document-1655: Assay 20, STD	25.03.2020 06:26:45	47084.565
18	Document-1641: Assay 6, STD	25.03.2020 06:26:45	48743.199
19	Document-1652: Assay 17, STD	25.03.2020 06:26:45	45454.742
20	Document-1642: Assay 7, STD	25.03.2020 06:26:45	45756.364
21	Document-1653: Assay 18, STD	25.03.2020 06:26:45	47695.770
22	Document-1650: Assay 15, STD	25.03.2020 06:26:45	48913.692
23	Document-1640: Assay 5, STD	25.03.2020 06:26:45	48744.485
24	Document-1651: Assay 16, STD	25.03.2020 06:26:45	46004.986

Index	Parameter_B	Parameter_C	Parameter_D
1	0.06725	-1.03662	4388.2405
2	0.14925	-1.15273	3285.7430
3	0.08783	-0.98587	4521.8083
4	0.11928	-1.22927	3279.7920
5	0.14686	-1.14576	2896.4053
6	0.11201	-1.13584	3901.4881
7	0.09638	-1.12591	3694.7441
8	0.10121	-1.18123	3659.6141
9	0.09554	-1.01388	2984.0608
10	0.05062	-1.25237	3379.4209
11	0.06348	-1.06383	3339.2501
12	0.08000	-1.13152	3673.1214
13	0.11660	-1.06713	3165.2540
14	0.07109	-1.04695	2897.9937
15	0.07144	-1.17683	2794.3128
16	0.11432	-0.97677	3556.8233
17	0.17390	-1.15096	3522.0470
18	0.06214	-1.03969	4501.8964
19	0.08335	-1.02093	2997.8831
20	0.09554	-1.01388	2984.0608
21	0.08955	-1.18682	2907.6123
22	0.09717	-1.33785	2618.1994
23	0.04911	-0.96158	4254.0086
24	0.14903	-1.20308	3365.8153